



LEGENDA ČAR



OZNAČENÍ STOUPAČÍHO POTRUBÍ STUDENÉ VODY

OZNAČENÍ STUPACÍHO POTRUBÍ POŽÁRNÍHO ROZVODU



IZOLACE NA POTRUBÍ



| | | | |
|------------------------|-------------|----------------------|-------------|
| POTRUBI (ppr PN 20) | TV → ZOLACE | POTRUBI (ppr PN6) | SV → ZOLACE |
| d20 | TL,40mm | d20 | TL,9mm |
| d25 | TL,40mm | d25 | TL,9mm |
| d32 | TL,40mm | d32 | TL,9mm |
| d40 | TL,40mm | d40 | TL,9mm |
| d50 | TL,40mm | d50 | TL,9mm |

DIMENZE POTRUBI

| | | |
|----|----------|--------|
| V | = 25x3.5 | 25x4.2 |
| SP | = 25x3.5 | 25x4.2 |
| K | = 32x4.5 | 32x5.4 |
| D | = 20x2.8 | 20x3.4 |
| U | = 20x2.8 | 20x3.4 |
| AP | = 20x2.8 | |
| WC | = 20x2.8 | |
| M | = 20x2.8 | |

VODOVOD



| | | | |
|--|---|------------------------|---|
| VÝPRAVDUVAL: | | PROJEKTANT: | |
| Antonín Žvok | | Ing. Doruž Kožušníková | |
| PODPIS |  | PODPIS |  |
| AKCE: OPRAVA ZTI BYTOVÉHO DOMU EDISONOVA 5, OSTRAVA-HRABŮVA | | | |
| OBSAH: SCHEMA-VODOVOD | | | |
| STAVBA: EDISONOVA 404/5, 70030 OSTRAVA | | | |
| INVESTOR: MĚSTSKÝ OBOD OSTRAVA-JIH | | | |